## TOM RENICK COUNTY PARK BIRD COUNTS - SEPTEMBER, 2024

This turned out to be an exceptional month with 152 species the second highest monthly count ever (there were 156 species in April this year). In all 30 surveys completed over 182 hours. There were two additions to the list. For the year 261 species recorded way ahead of any other year, in all 336 species located since January, 2016. The best days were 1,222 birds on the 2<sup>nd</sup> and 72 species on the 22<sup>nd</sup>. There are two higher species counts 73 species on April 30, 2023 and 78 on March 23, 2024.

There were single Cory's & Scopoli's Shearwaters on the 25<sup>th</sup> as Hurricane Helene approached. There were ten Great Shearwaters on the 25<sup>th</sup> with one on the 26<sup>th</sup>. Finally for this group there were single Audubon Shearwaters on the 25<sup>th</sup> and 26<sup>th</sup>. Brown Pelicans peaked at 59 on the 4<sup>th</sup>. There were single Magnificent Frigatebirds on the 25<sup>th</sup> and 26<sup>th</sup> with four on the 28<sup>th</sup>.

There was an American Bittern on the 19<sup>th</sup> with two on the 29<sup>th</sup> a new high count. There were two Least Bitterns on the 7<sup>th</sup> with one on the 22<sup>nd</sup>. The count of two is a joint high count. There was a Reddish Egret on the 21<sup>st</sup>. Now to Cattle Egrets the old high count was that of 210 on September 18, 2021. This month there were 215 on the 20<sup>th</sup>, 225 on the 8<sup>th</sup> and a massive 475 on the 30<sup>th</sup>. Passage was to the south over the river and the sea. Green Herons were heard on 8 days with five on the 13<sup>th</sup> and three on the 21<sup>st</sup>. There were single Black-crowned Night-Herons on the 2<sup>nd</sup> and 5<sup>th</sup>. Yellow-crowned Night-Herons were noted on ten days to the 30<sup>th</sup> with four on the 3<sup>rd</sup>. White Ibis peaked at 49 on the 7<sup>th</sup> and 90 on the 21<sup>st</sup>. Glossy Ibis were seen on six days with 12 on the 18<sup>th</sup>. For Roseate Spoonbill there were eight on the 5<sup>th</sup> with nine on the 22<sup>nd</sup>. There was a Wood Stork on the 2<sup>nd</sup>. For the vultures there were 27 Black on the 30<sup>th</sup> and 149 Turkey on the 29<sup>th</sup>.

There were 13 Blue-winged Teal on the 2<sup>nd</sup> with 705 on the 22<sup>nd</sup>, 425 on the 23<sup>rd</sup>, 680 on the 25<sup>th</sup> and 60 on the 30<sup>th</sup>. There were nine Northern Shoveler on the 22<sup>nd</sup>. There were four Northern Pintail on the 23<sup>rd</sup>. Green-winged Teal were seen from the 20<sup>th</sup> with 15 on the 23<sup>rd</sup>.

As a sign of migration there were nine Osprey on the 10<sup>th</sup> with eight on the 30<sup>th</sup>. Up to two Bald Eagles seen daily from the 3<sup>rd</sup>. There were single Northern Harriers on the 15<sup>th</sup>, 16<sup>th</sup> and 29<sup>th</sup>. There were single Sharp-shinned Hawks on the 18<sup>th</sup>, 27<sup>th</sup> and 29<sup>th</sup>. There were eight Red-shouldered Hawks on the 16<sup>th</sup> a new high count. For Broad-winged Hawks there were eight on the 16<sup>th</sup> (a new high count) with one on the 21<sup>st</sup> and two on the 22<sup>nd</sup>. Red-tailed Hawks were seen on seven days with two on the 16<sup>th</sup> and 26<sup>th</sup>. Single American Kestrels were seen on the 8th, 25<sup>th</sup> and 27<sup>th</sup>. Merlins were seen on eight days from the 17<sup>th</sup> with three on the 29<sup>th</sup>. There were single Peregrine Falcons on the 25<sup>th</sup>, 27<sup>th</sup> and 28<sup>th</sup>.

There was a Sandhill Crane on the 25th. For the Semipalmated Plover the were seven on the 2nd, ten on the 3rd and one on the 14th. There were single Killdeer on the 3rd, 7th and 13th.

There was an American Oystercatcher on the 23<sup>rd</sup>. There were eight Black-necked Stilts on the 3<sup>rd</sup> with two on the 4<sup>th</sup>. There was an American Avocet on the 4<sup>th</sup>. There was a Greater Yellowlegs on the 28<sup>th</sup>. For the Lesser Yellowlegs there was one on the 18<sup>th</sup> with 80 on the 22<sup>nd</sup> (a new high count) and five on the 28<sup>th</sup>. Spotted Sandpipers were seen on 17 days to the 30<sup>th</sup> with three on the 4<sup>th</sup>. There were two Whimbrel on the 3<sup>rd</sup> with a Marbled Godwit on the 9<sup>th</sup>. There were 30 Red Knot on the 28<sup>th</sup>. For Semipalmated Sandpiper there were nine on the 2<sup>nd</sup>, 12 on the 3<sup>rd</sup> and 12 again on the 4<sup>th</sup>. For the Western Sandpiper there were eight on the 3<sup>rd</sup>, 46 on the 4<sup>th</sup> and two on the 6<sup>th</sup>. There were six Least Sandpipers on the 2<sup>nd</sup> with nine on the 6<sup>th</sup>. There were eight Dunlin on the 29<sup>th</sup>. There was a Stilt Sandpiper on the 7<sup>th</sup>. With the hurricane there were 4 Red-necked Phalaropes on the 25<sup>th</sup> with 12 Red Phalaropes on the same day.

There were two Parasitic Jaegers on the 26<sup>th</sup> with one on the 30<sup>th</sup>. Very unexpectedly there were seven Long-tailed Jaegers on the 25<sup>th</sup> a new high count one of them was travelling with a Common Nighthawk! The first Ring-billed Gull was on the 28<sup>th</sup>. There were two Lesser Black-backed Gulls on the 6<sup>th</sup> with three on the 25<sup>th</sup> and one on the 26<sup>th</sup>. There was a Gull-billed Tern on the 9<sup>th</sup>. Caspian Terns were seen on ten days with four on the 4<sup>th</sup>. Royal Terns peaked at 43 on the 6<sup>th</sup> and Sandwich Terns peaked at 61 on the 25<sup>th</sup>. There were eight Roseate Terns on the 25<sup>th</sup> a new high count. Common Terns were seen on 16 days with 48 on the 3<sup>rd</sup>. There were four Arctic Terns on the 25<sup>th</sup>. Forster's Terns were seen from the 3<sup>rd</sup> with five on the 3<sup>rd</sup> and 25<sup>th</sup>.Least Terns were seen daily to the 17<sup>th</sup> with four on that date. On the 25<sup>th</sup> a total of eight seen. Black Terns seen on ten days to the 18<sup>th</sup> with 47 on the 3<sup>rd</sup>. Black Skimmers were seen on seven days with four on the 6<sup>th</sup> and seven on the 20<sup>th</sup>.

Now we come to the first of the new spies there was an immature Black-billed Cuckoo on the 14<sup>th</sup>. Single Eastern Screech-Owls were heard on six days with two on the 5<sup>th</sup> a joint high count. Great Horned Owls were heard on seven days from the 10<sup>th</sup> with two on the 23<sup>rd</sup>. There were single Barred Owls on the 6<sup>th</sup> and 19<sup>th</sup>. On the 25<sup>th</sup> a Common nighthawk flew by offshore with a Long-tailed Jaeger. Single Chuck-will's-widows were heard by the river on the 4<sup>th</sup>, 14<sup>th</sup>, 20<sup>th</sup> and 24<sup>th</sup>. An Eastern Whip-poor-will flew to the south offshore on the 6<sup>th</sup>. Chimney Swifts were seen on five days to the 14<sup>th</sup> with three on the 8<sup>th</sup>. Single Ruby-throated Hummingbirds were seen on the 15<sup>th</sup> and 27<sup>th</sup> with two on the 29<sup>th</sup>. Belted Kingfishers were seen on 23 days with 12 on the 10<sup>th</sup> a new high count. Downy Woodpeckers were seen on 17 days with three on the 7<sup>th</sup>. Pileated Woodpeckers were seen on 27 days with counts of five on the 18<sup>th</sup> and the 23<sup>rd</sup>.

There was an Eastern Wood-Pewee on the 9<sup>th</sup> with a Great Crested Flycatcher on the 8<sup>th</sup>. Eastern Kingbirds were seen on seven days with six on the 7<sup>th</sup> and eight on the 20<sup>th</sup>. There was a Gray Kingbird on the 7<sup>th</sup>. Up to three Loggerhead Shrikes seen daily. There was a White-eyed Vireo on the 22<sup>nd</sup>. There was also a Yellow-throated Vireo on the 8<sup>th</sup>. Next came the second new species this was a Philadelphia Vireo which was seen on the 22<sup>nd</sup>. There was a Red-eyed Vireo on the 7<sup>th</sup> with two on the 22<sup>nd</sup>. American Crows peaked at 20 on the 8<sup>th</sup>. Purple Martins were seen on six days to the 13<sup>th</sup> with seven on the 7<sup>th</sup>. Tree Swallows were also seen on six days with three on the 18<sup>th</sup>. There were single Northern Rough-winged Swallows on the 3<sup>rd</sup> and 6<sup>th</sup>

with two on the 7<sup>th</sup>. There were single Bank Swallows on the 7<sup>th</sup> and 18<sup>th</sup>. There was a Cliff Swallow on the 5<sup>th</sup> with two on the 6<sup>th</sup>. Barn Swallows seen all month with 280 on the 7<sup>th</sup> and 308 on the 19<sup>th</sup>. There were two Carolina Chickadee on the 22<sup>nd</sup> with one on the 24<sup>th</sup>. For Tufted Titmouse there was one on the 9<sup>th</sup> then seen on five days from the 20th with three on the 22<sup>nd</sup>. There were single Blue-gray Gnatcatchers on the 8<sup>th</sup>, 23<sup>rd</sup> and 25<sup>th</sup> with two on the 29<sup>th</sup>. There was an Eastern Bluebird on the 10<sup>th</sup>. There were single Gray-cheeked Thrushes heard on the 11<sup>th</sup> and 17<sup>th</sup>. For the Veery there were singles on the 3<sup>rd</sup>, 4<sup>th</sup> and 10<sup>th</sup> with two on the 18<sup>th</sup> and 21<sup>st</sup>, then one heard on the 22<sup>nd</sup>. Swainson's Thrushes heard on 12 days with three on the 8<sup>th</sup> and 23<sup>rd</sup>. There was a Gray Catbird on the 28<sup>th</sup>. There were single Brown Thrashers on the 11<sup>th</sup> and 21<sup>st</sup>.

There were single Northern Parula on the 6th, 15th and 22nd. There were single Yellow Warblers on the 3rd and 25th. There were two Black-throated Blue Warblers on the 22nd a joint high count. There were single Blackburnian Warblers on the 14th and 22nd. There were also single Yellow-throated Warblers on the 7th, 15th and 22nd. There were two Prairie Warblers on the 6th with singles on the 7th and 18th. There were single Black-and-white Warblers on the 7th and the 22nd. There were four American Redstarts on the 22nd. There was a Worm-eating Warbler on the 22nd. There were single Common Yellowthroats on the 9th and 25th with five on the 29th.

There was a Blue Grosbeak on the 22<sup>nd</sup>. There were single Indigo Buntings on the 1<sup>st</sup>, 3<sup>rd</sup> and 9<sup>th</sup> with two on the 11<sup>th</sup> and 17<sup>th</sup>, then one seen on the 22<sup>nd</sup>. There was a Painted Bunting on the 24<sup>th</sup>. There were two Bobolinks on the 8<sup>th</sup> with three on the 10<sup>th</sup>, two on the 17<sup>th</sup>, two on the 20<sup>th</sup> and one on the 22<sup>nd</sup>. There were two Common Grackle on the 8<sup>th</sup> with one on the 27<sup>th</sup>. Brown-headed Cowbirds seen on six days with three on the 16<sup>th</sup>. Finally, House Finches peaked at eight on the 9<sup>th</sup> and ten on the 21<sup>st</sup>,

Can October beat this?

Harry Robinson